




HYBEC[®] AIR
STYLE THAT CIRCULATES






INTRODUCTION

With over two decades of industry experience, HYBEC is an established lighting brand specialising in intelligently designed architectural lighting solutions, developed in close collaboration with architects and interior designers.

Building on this legacy, HYBEC AIR emerges as a dedicated air-circulation vertical extending HYBEC's design philosophy beyond lighting into movement and airflow. A design-led brand, HYBEC AIR combines precision engineering with refined aesthetics to deliver elevated performance. Crafted for discerning spaces, its fans provide powerful yet silent airflow, integrating seamlessly into modern interiors with a clean, understated presence.

Engineered to balance performance and elegance, each HYBEC AIR fan is devoped using energy-efficient technology, premium finishes, and enduring materials. Ideal for luxury residences, sophisticated commercial spaces, and hospitality environments, the collection enhances architectural vision while transforming everyday airflow into a refined design experience where style truly circulates.

FEATURES




A VERSATILE PALETTE FOR EVERY INTERIOR

This catalogue presents a curated range of fans alongside carefully developed colour and finish palettes, allowing each design to integrate seamlessly into its surroundings. Together, they create a visual language where airflow, architecture, and aesthetics move in harmony.

Selecting the right fan goes beyond performance-it is about shaping a space with clarity and cohesion. Thoughtful design, finish, and tone play a vital role in how a room feels and functions.

ENGINEERING EXCELLENCE


HYBEC AIR is built around technology-driven comfort. Advanced power saving motor systems, precision-balanced blades, and optimized airflow engineering work together to deliver consistent performance. Transforming everyday air circulation into a refined, high-performance experience.




Walnut Brown



Champagne Gold



Antique Brass



Dark Wood

Choosing The Right Fan For Your Home

Choosing the correct ceiling fan size is key to ensuring optimal airflow and comfort. Here's a simple guide to help you select the right fan size based on your room dimensions.



Dining room

10 x 10Ft

(over 100 square feet or less)



46" - 42" fans

ex: Study room, Office room.



Kitchen

12 x 12Ft

(over 140-150 square feet)



48" - 50" fans

ex: Study room, Office room.



Children's room

14 x 14Ft

(over 190 - 200 square feet)



50" - 52" fans

ex: Dining room, large walk in wardrobe.



Bedroom

16 x 16Ft

(over 250 - 260 square feet)



56" or bigger fans

ex: Bedroom, formal dining room, larger kitchen.



Living room

20 x 20Ft

(over 400 square feet)



66" or bigger fan / also multiple

ex: Master suite, large patio.





IS 374 :2019



CM/L- 7500263917
www.bis.gov.in

OUR MANUFACTURING EXCELLENCE

At HYBEC AIR, manufacturing is built on precision engineering, advanced technology, and uncompromising quality. Our state-of-the-art production facility helps us to provide superior motor performance in every fan we produce. Each fan is meticulously tested in specialized acoustic chambers, where sound levels are measured and optimized to deliver smooth, quiet airflow perfect for modern living spaces. Performance and air delivery are validated through controlled airflow testing systems, ensuring maximum efficiency and balanced circulation. To ensure long-lasting durability and flawless finish, key components undergo rigorous salt spray testing, simulating extreme environmental conditions to evaluate corrosion resistance. This technology-driven manufacturing approach ensures that every HYBEC AIR fan delivers exceptional performance, reliability, and refined design, setting new benchmarks in comfort, innovation and style.

TABLE OF CONTENTS

01

Ceiling Energy-efficient Fans.....Pg 07-41

02

Decorative Fans.....Pg 42-48

03

Lifestyle Fans.....Pg 49-54

04

Exhaust Fans.....Pg 55-67



Ceiling Energy-Efficient

Designed for everyday living with conscious efficiency, the HYBEC AIR Ceiling Energy-Efficient fans brings together performance, durability, and understated style. Engineered to deliver powerful air circulation while consuming minimal energy, this range is ideal for modern homes that value comfort without compromise. With thoughtfully curated colour schemes, the fans adapt effortlessly to diverse interiors from clean contemporary spaces to warm, comfort-driven everyday homes. Reliable, quiet, and refined, this category represents HYBEC AIR'S commitment to smarter living and sustainable design.

CORE SERIES

ITEM NO.:HYFC-690

24"

-  NOISE FREE
-  ANTI DUST
-  100% PURE COPPER WIRE MOTOR
-  DOUBLE BALL BEARING
-  REVERSE ROTATION
-  3 ABS BLADES
-  UP TO 8 HOURS TIMER SETTING
-  ENERGY SAVING LED
-  VOLTAGE / FREQUENCY
AC 230V-240V 50Hz



MATT WHITE



MATT BLACK+DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
600mm	165	500	30W	5.5	20W 3000K / 4000K / 6500K



IS 374 :2019

CM/L- 7700263917
www.bis.gov.in



BASE PLATE




CORE SERIES | HYFC-690
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

NEO SERIES

ITEM NO.:HYFC-693

24"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT WHITE



MATT BLACK



MATT BLACK + PINE WOOD



MATT BLACK + DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
600mm	175	400	30W	5.9



IS 374 :2019

CM/L- 7700263917
www.bis.gov.in






NEO SERIES | HYFC-683
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLDC
POWER SAVER

INFINITY SERIES

ITEM NO.:HYFC-642

30"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



ENERGY SAVING
LED



VOLTAGE / FREQUENCY
AC 110-240V 50/60Hz



WHITE WOOD GRAIN

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
775mm	145	370	25W	5-8	20W 3000K / 4000K / 6500K



IS 374 :2019

CM/L- 7700263917
www.bis.gov.in






INFINITY SERIES | HYFC-642
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

AERO SERIES

ITEM NO.:HYFC-631

30"

-  NOISE FREE
-  ANTI DUST
-  100% PURE COPPER WIRE MOTOR
-  DOUBLE BALL BEARING
-  REVERSE ROTATION
-  5 ABS BLADES
-  UP TO 8 HOURS TIMER SETTING
-  ENERGY SAVING LED
-  VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK+ DARK WOOD



MATT WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
775mm	180	245	30W	6	20W 3000K / 4000K / 6500K



IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in



BASE PLATE




AERO SERIES | HYFC-631
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

LUXE SERIES

ITEM NO.-HYFC-535

42"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION




3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



ANTIQUE BRASS+MATT WHITE



MATT BLACK+ DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1050mm	155	245	25W	6.2



IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in






LUXE SERIES | HYFC-535
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

SMART SERIES

ITEM NO.:HYFC-530

48"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



5 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK



MATT WHITE



MATT BLACK + DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1200mm	245	245	45W	5.4




IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in





SMART SERIES | HYFC-530
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 8 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

ZENVIA SERIES

ITEM NO.: HYFC-405

48"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



PEARL WHITE



MATT BLACK



DARK WOOD

AIRFLOW METER



COMING SOON

SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1200mm	255	235	45W	5.7



WARRANTY

IS 302 :PART 2:
SEC 80:2017




CM/L-7700263715
www.bis.gov.in



HOOK



ZENVIA SERIES | HYFC-405
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

PULSE SERIES

ITEM NO.: -HYFC-324

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



BLACK+DARKWOOD



MATT WHITE



WHITE+LIGHTWOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	245	235	45W	5.4



IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in






PULSE SERIES | HYFC-324
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLDC
POWER SAVER

GALE SERIES

ITEM NO.:HYFC-327

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION




3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK



MATT WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	305	245	54W	5.7




IS 302 :PART 2:
SEC 80:2017




CM/L-7700263715
www.bis.gov.in



HOOK



GALE SERIES | HYFC-327
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

NOVA SERIES

ITEM NO.-HYFC-333

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK



MATT WHITE



GOLD+MATT WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	255	230	45W	5.7




IS 302 :PART 2:
SEC 80:2017




CM/L-7700263715
www.bis.gov.in



HOOK



NOVA SERIES | HYFC-333
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLDC
POWER SAVER

PRIME SERIES

ITEM NO.:HYFC-337

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK+WOODEN



MATT BLACK



MATT WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	290	245	55W	5.3



IS 302 :PART 2:
SEC 80:2017



CM/L-7700263715
www.bis.gov.in



HOOK




PRIME SERIES | HYFC-337
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

CREST SERIES

ITEM NO.-HYFC-343

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



ENERGY SAVING
LED



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



BRUSHED NICKEL+SILVER



ORB+DARKWOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
1320mm	305	205	50W	6.1	20W 3000K / 4000K / 6500K



IS 302 :PART 2:
SEC 80:2017



CM/L-7700263715
www.bis.gov.in



HOOK




CREST SERIES | HYFC-343
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLDC
POWER SAVER

EVER SERIES

ITEM NO.-HYFC-353

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



CHAMPAGNE GOLD+WHITE



BLACK+SILVER

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	185	245	30W	6.2




IS 302 :PART 2:
SEC 80:2017


CM/L-7700263715
www.bis.gov.in



BASE PLATE



EVER SERIES | HYFC-353
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

EDGE SERIES

ITEM NO.-HYFC-360

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK + DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	275	225	54W	5.1



IS 302 :PART 2:
SEC 80:2017




CM/L-7700263715
www.bis.gov.in



HOOK



EDGE SERIES | HYFC-360
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



FLUX SERIES

ITEM NO.:HYFC-363

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



ENERGY SAVING
LED



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



BLACK BAMBOO+BLACK



NATURAL BAMBOO+WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
1320mm	190	220	35W	5.4	10W 3000K / 4000K / 6500K



IS 302 :PART 2:
SEC 80:2017




CM/L-7700263715
www.bis.gov.in



BASE PLATE



FLUX SERIES | HYFC-363
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

ELEVATE SERIES

ITEM NO.:HYFC-366

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



ENERGY SAVING
LED



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



ORB+LIGHTWOOD



CHAMPAGNE GOLD+WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
1320mm	245	220	35W	7	20W 3000K / 4000K / 6500K




IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in





ELEVATE SERIES | HYFC-366
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

BLANCO SERIES

ITEM NO.:HYFC-230

56"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



5 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK



MATT WHITE



MATT BLACK + DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1400mm	310	235	45W	6.9




IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in





BLANCO SERIES | HYFC-230
INSTALLATION VIDEO



CEILING FAN

REMOTE CONTROL WITH 8 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER



Decorative

Designed to elevate interior spaces, the HYBEC AIR Decorative fans seamlessly blends artistic detailing with dependable performance. Created to function as both an efficient cooling solution and a design feature, these fans complement expressive, style-driven environments. Featuring distinctive finishes and elegant forms, the collection enhances visual appeal while delivering smooth, reliable airflow, reflecting Hybec Air's commitment to aesthetics, innovation, and lasting comfort

AURA SERIES

ITEM NO.:HYFC-964

42"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



4 ABS TRANSPARENT BLADES



UP TO 8 HOURS
TIMER SETTING



ENERGY SAVING
LED



VOLTAGE / FREQUENCY
AC 220V-230V 50Hz



BRUSH NICKEL+TRANSPARENT



RED COPPER+TRANSPARENT



ANTIQUE BRASS+TRANSPARENT

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
1050mm	175	245	32W	5.5	30W 3000K / 4000K / 6500K




IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in





AURA SERIES | HYFC-964
INSTALLATION VIDEO



DECORATIVE FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

AIR SERIES

ITEM NO.:HYFC-933

52"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



5 ABS BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



MATT BLACK+DARK WOOD

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
1320mm	285	245	50W	5.7




IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in





AIR SERIES | HYFC-933
INSTALLATION VIDEO



DECORATIVE FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLDC
POWER SAVER

CRYSTAL SERIES




COMING SOON



DECORATIVE FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION




CRYSTAL SERIES



DECORATIVE FAN

REMOTE CONTROL WITH 5 SPEED CONTROL
FORWARD AND REVERSE ROTATION

COMING SOON





Lifestyle

Shaped by the rhythm of contemporary living, the HYBEC AIR Lifestyle Fans range is designed for spaces that evolve through the day. Balancing visual simplicity with practical performance, these fans suit modern routines and changing moods. Subtle in presence yet effective in function, the collection supports comfortable living while aligning seamlessly with today's interiors and design sensibilities

FLOAT SERIES

ITEM NO.:HYFC-1560

16"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



3 ABS BLADES




UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



ROSE GOLD + MATT WHITE



MATT BLACK + LIGHT WOOD



MATT BLACK



MATT WHITE

AIRFLOW METER



SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE
400mm	100	1020	30W	3.3



IS 302 :PART 2:
SEC 80:2017

CM/L-7700263715
www.bis.gov.in



BASE PLATE



MATT BLACK + DARK WOOD




FLOAT SERIES | HYFC-1560
INSTALLATION VIDEO



LIFESTYLE FAN

REMOTE CONTROL WITH 8 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER

CYCLONE SERIES

ITEM NO.:HYFC-1530

20"



NOISE FREE



ANTI DUST



100% PURE COPPER
WIRE MOTOR



DOUBLE BALL
BEARING



REVERSE ROTATION



7 ABS TRANSPARENT BLADES



UP TO 8 HOURS
TIMER SETTING



VOLTAGE / FREQUENCY
AC 110V-240V 50Hz



LIGHT WOOD+TRANSPARENT



MATT BLACK+TRANSPARENT



MATT WHITE+TRANSPARENT

AIRFLOW METER



COMING SOON

SWEEP	AIR DELIVERY (CMM)	RPM	MOTOR POWER (W)	SERVICE VALUE	LED WATTAGE (W)
450mm	150	1100	45W	3.4	25W 3000K / 4000K / 6500K



WARRANTY

IS 302 :PART 2:
SEC 80:2017



CM/L-7700263715
www.bis.gov.in



BASE PLATE



COMING SOON




CYCLONE SERIES | HYFC-1530
INSTALLATION VIDEO



LIFESTYLE FAN

REMOTE CONTROL WITH 6 SPEED CONTROL
FORWARD AND REVERSE ROTATION



BLODC
POWER SAVER



Exhaust

COMING SOON

Engineered for high-efficiency ventilation, the HYBEC AIR Exhaust Fans range is designed to optimise indoor air quality in functional spaces. Developed for consistent extraction of heat, moisture, and airborne impurities, these fans ensure effective airflow management in kitchens, bathrooms, and utility areas. Featuring robust construction, low-noise operation, and reliable performance, the range reflects HYBEC AIR'S focus on precision engineering and long-term dependability.

COOL SERIES

ITEM NO.:HYFC-1793



NOISE FREE



PERAMETRICAL AIR
EXTRACTION



100% PURE COPPER
WIRE MOTOR



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



6 PP BLADES



HIGH AIR SUCTION



MOTOR WITH THERMAL
OVERLOAD PROTECTOR



SUITABLE FOR GLASS AND
WALL MOUNTING



DUST PROTECTION SHUTTER




WHITE

Colours available

White | Black

SWEEP	RPM	MOTOR POWER (W)	CUTOUT
150mm	2100	42W	7.5"x7.5"





COMMET SERIES

ITEM NO.:HYFC-1826



NOISE FREE



PERAMETRICAL AIR
EXTRACTION



100% PURE COPPER
WIRE MOTOR



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



6 PP BLADES



HIGH AIR SUCTION



MOTOR WITH THERMAL
OVERLOAD PROTECTOR



SUITABLE FOR GLASS AND
WALL MOUNTING



DUST PROTECTION SHUTTER



WHITE GLOSSY



WHITE GLOSSY



ROSE GOLD



STAINLESS STEEL




MATT GREY STONE



MATT DARK WOOD

SWEEP	RPM	MOTOR POWER (W)	CUTOUT
150mm	2100	42W	Ø7.5





CRESTA SERIES

ITEM NO.:HYFC-1846 / 1848 / 1850



NOISE FREE



PERAMETRICAL AIR
EXTRACTION



100% PURE COPPER
WIRE MOTOR



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



6 PP BLADES



HIGH AIR SUCTION



MOTOR WITH THERMAL
OVERLOAD PROTECTOR



SUITABLE FOR GLASS AND
WALL MOUNTING



DUST PROTECTION SHUTTER



OFF-WHITE

Colours available

White | Black | Brown


COMING SOON

SWEEP	RPM	MOTOR POWER (W)	CUTOUT
100mm	2500	16W	Ø4"
150mm	2200	20W	Ø6"
200mm	2100	23W	Ø7"





COMING SOON



CRUISE SERIES

ITEM NO.:HYFC-1920



NOISE FREE



PERAMETRICAL AIR
EXTRACTION



100% PURE COPPER
WIRE MOTOR



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



8 PP BLADES



HIGH AIR SUCTION



MOTOR WITH THERMAL
OVERLOAD PROTECTOR



SUITABLE FOR RECESSED CEILING



WHITE


ACCESSORIES EXTRA

SWEEP	RPM	MOTOR POWER (W)	CUTOUT	PIPE SIZE
200mm	1400	35W	8X8"	Ø4"



FLEXIBLE AIR ALUMINUM DUCTING
KITCHEN VENTILATION TUBE





CEILO SERIES

ITEM NO.:HYFC-1925



NOISE FREE



PERAMETRICAL AIR
EXTRACTION



100% PURE COPPER
WIRE MOTOR



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



8 PP BLADES



HIGH AIR SUCTION



MOTOR WITH THERMAL
OVERLOAD PROTECTOR



SUITABLE FOR RECESSED CEILING



WHITE


COMING SOON

SWEEP	RPM	MOTOR POWER (W)	CUTOUT	PIPE SIZE
200mm	1400	35W	8X8"	Ø4"





COMING SOON



CRESENT SERIES

ITEM NO.:HYFC- 1932



NOISE FREE



PERAMETRICAL AIR
EXTRACTION



100% PURE COPPER
WIRE MOTOR



VOLTAGE / FREQUENCY
AC 220V-240V 50Hz



8 PP BLADES



HIGH AIR SUCTION



MOTOR WITH THERMAL
OVERLOAD PROTECTOR



SUITABLE FOR RECESSED CEILING & DUCT



DOUBLE BALL BEARING



WHITE

ACCESSORIES EXTRA



PROTECTION GRILL
WITH LOUVERS




PROTECTION
GRILL



FLEXIBLE AIR ALUMINUM DUCTING
KITCHEN VENTILATION TUBE

SWEEP	RPM	MOTOR POWER (W)	PIPE SIZE
100mm	2300	33W	4"
150mm	2400	45W	6"







INSTALLATION & SAFETY ESSENTIALS

- Disconnect the power supply before installation, servicing, or cleaning.
- Use only Hybec Air-recommended mounting components for secure installation.
- Maintain sufficient clearance around the fan to ensure unobstructed airflow.
- Ensure a minimum distance of 2.3 meters (7.5 ft) between the blades and the floor.
- Clean using a soft, dry or lightly damp cloth—avoid water exposure and harsh cleaning agents.
- Do not install in moisture-prone areas unless the model is rated for such conditions.
- Follow the official installation guidelines for optimal safety and performance.

PERFORMANCE CHECK & SUPPORT

Fan Not Operating

- ✓ Confirm the power supply is active and circuit protection (fuse/MCB) is functioning.
- ✓ Ensure all wiring connections are properly secured.
- ✓ Verify compatibility of controls—avoid use with non-recommended regulators or dimmers.
- ✓ For remote models, check proper pairing and battery functionality.
- ✓ Ensure consistent voltage supply without fluctuations.

Unusual Sound or Vibration

- ✓ Check and tighten all screws, including motor housing and blade fixtures.
- ✓ Ensure blade brackets are aligned and securely fitted.
- ✓ Confirm blades are free from contact with any surface or obstruction.
- ✓ A brief run-in period is normal; minor initial sound typically settles with usage.

WARRANTY & DISCLAIMER

Warranty Period:

- All fans : Covered under a 3 year warranty for the motor and 1 year comprehensive warranty against manufacturing defects.

Warranty Terms & Conditions:

This warranty is applicable only under proper usage and stands void under the following conditions:

- Incorrect or improper installation.
- Installation or usage in damp, wet, or outdoor environments (unless specified).
- Use of incompatible regulators, dimmers, or simultaneous control systems with remote-operated fans.
- Damage due to mishandling, negligence, accidents, or unauthorized modifications.
- Breakage of components such as blades, motor housing, or decorative elements not caused by manufacturing defects.
- Electrical damage caused by power surges, voltage fluctuations, or use with alternative power sources (inverters, solar systems, UPS, generators & etc).
- Use of fan with incompatible automation systems or dimmers for speed control.
- Repairs, servicing, or alterations carried out by unauthorized personnel.
- Variations in color, finish deterioration, paint peeling, or rusting caused by environmental exposure such as humidity, coastal conditions, or improper maintenance practices.
- Remotes, controllers, and batteries are not in warranty
- Absence of valid proof of purchase.

Service & Support:

- Hybec Air reserves the right to determine the applicability of warranty.
- Under valid warranty claims, defective parts will be repaired or replaced at the company's discretion.
- If on-site service is not feasible, the product must be securely packaged and sent to the authorized service center. Assistance for logistics may be provided.

Disclaimer:

- Product specifications, designs, and finishes are subject to change without prior notice.
- Prices are subject to revision without notice.
- Actual product appearance may slightly vary from images or renders.
- Custom or made-to-order products may require extended delivery timelines.
- Hybec Air shall not be liable for incidental or consequential damages arising from product use.
- All consignments dispatched by Hybec Air will be sent through the company's designated courier partners via surface mode, free of cost.
- Dispatches requested through alternative courier services or transport channels, as specified by the client, will be arranged at an additional cost.
- Any shipment requiring expedited delivery via air courier will be chargeable.
- Expenses related to special installation equipment such as ladders, scaffolding, lifts, or tools.
- All disputes are subject to Mumbai jurisdiction.

IMPORTANT NOTICE

- Any claims regarding missing parts, transit damage, or defects must be reported within 72 hours of delivery.
- Claims raised beyond this period may not be entertained.



Connect with us !

Stay connected with Hybec Air by scanning the QR codes below.

Scan for Instagram



Scan for
WhatsApp Channel



www.hybecfans.net

HYBEC[®] AIR
STYLE THAT CIRCULATES

Manufactured by JN LIGHTING INDIA LLP , Maharashtra India

